

NLP pigments for Coating 1st grade (Yellow Green)

Non treated NLP Yellow Green Pigments

NLP/YG/30/B/0/1/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/0/1/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/0/1/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/0/1/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/0/1/CA	240-320µm	synthetic carriers

Treated NLP Yellow Green for easy dispersion

NLP/YG/30/B/S/1/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/S/1/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/S/1/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/S/1/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/S/1/CA	240-320µm	synthetic carriers

Treated NLP Yellow Green Pigments to avoid sinking

NLP/YG/30/B/A/1/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/A/1/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/A/1/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/A/1/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/A/1/CA	240-320 µm	synthetic carriers

Treated NLP Yellow Green Pigments for Water based purposes

NLP/YG/30/W/0/1/CA	20-30 µm	water based carriers
NLP/YG/45/W/0/1/CA	30-45 µm	water based carriers
NLP/YG/65/W/0/1/CA	40-65 µm	water based carriers
NLP/YG/80/W/0/1/CA	70-80 µm	water based carriers
NLP/YG/300/W/0/1/CA	240-320 µm	water based carriers

Treated NLP Yellow Green pigments for Water based purposes to make dispersion easier.

NLP/YG/30/W/S/1/CA	20-30 µm	water based carriers
NLP/YG/45/W/S/1/CA	30-45 µm	water based carriers
NLP/YG/65/W/S/1/CA	40-65 µm	water based carriers
NLP/YG/80/W/S/1/CA	70-80 µm	water based carriers
NLP/YG/300/W/S/1/CA	240-320 µm	water based carriers

Treated NLP Yellow Green pigments for water based solution to avoid sinking of pigment

NLP/YG/30/W/A/1/CA	20-30 µm	water based carriers
NLP/YG/45/W/A/1/CA	30-45 µm	water based carriers
NLP/YG/65/W/A/1/CA	40-65 µm	water based carriers
NLP/YG/80/W/A/1/CA	70-80 µm	water based carriers
NLP/YG/300/W/A/1/CA	240-320 µm	water based carriers

NLP pigments for Coating 1st grade (Light Blue)

Non treated NLP Light Blue Pigments

NLP/LB/30/B/0/1/CA	20-30 µm	synthetic carriers
NLP/LB/45/B/0/1/CA	30-45 µm	synthetic carriers
NLP/LB/65/B/0/1/CA	40-65 µm	synthetic carriers
NLP/LB/80/B/0/1/CA	70-80 µm	synthetic carriers
NLP/LB/300/B/0/1/CA	240-320µm	synthetic carriers

Treated NLP Light Blue for easy dispersion

NLP/LB/30/B/S/1/CA	20-30 µm	synthetic carriers
NLP/LB/45/B/S/1/CA	30-45 µm	synthetic carriers
NLP/LB/65/B/S/1/CA	40-65 µm	synthetic carriers
NLP/LB/80/B/S/1/CA	70-80 µm	synthetic carriers
NLP/LB/300/B/S/1/CA	240-320µm	synthetic carriers

Treated NLP Light Blue Pigments to avoid sinking

NLP/LB/30/B/A/1/CA	20-30 µm	synthetic carriers
NLP/LB/45/B/A/1/CA	30-45 µm	synthetic carriers
NLP/LB/65/B/A/1/CA	40-65 µm	synthetic carriers
NLP/LB/80/B/A/1/CA	70-80 µm	synthetic carriers
NLP/LB/300/B/A/1/CA	240-320 µm	synthetic carriers

Treated NLP Light Blue Pigments for Water based purposes

NLP/LB/30/W/0/1/CA	20-30 µm	water based carriers
NLP/LB/40/W/0/1/CA	30-40 µm	water based carriers
NLP/LB/45/W/0/1/CA	30-45 µm	water based carriers
NLP/LB/65/W/0/1/CA	40-65 µm	water based carriers
NLP/LB/80/W/0/1/CA	70-80 µm	water based carriers
NLP/LB/300/W/0/1/CA	240-320 µm	water based carriers

Treated NLP Light Blue pigments for Water based purposes to make dispersion easier.

NLP/LB/30/W/S/1/CA	20-30 µm	water based carriers
NLP/LB/45/W/S/1/CA	30-45 µm	water based carriers
NLP/LB/65/W/S/1/CA	40-65 µm	water based carriers
NLP/LB/80/W/S/1/CA	70-80 µm	water based carriers
NLP/LB/300/W/S/1/CA	240-320 µm	water based carriers

Treated NLP Light Blue pigments for water based solution to avoid sinking of pigment

NLP/LB/30/W/A/1/CA	20-30 µm	water based carriers
NLP/LB/45/W/A/1/CA	30-45 µm	water based carriers
NLP/LB/65/W/A/1/CA	40-65 µm	water based carriers
NLP/LB/80/W/A/1/CA	70-80 µm	water based carriers
NLP/LB/300/W/A/1/CA	240-320 µm	water based carriers

NLP pigments for Coating 2nd grade (Yellow Green)

2nd grade brightness is less bright compare to 1st grade pigments, but still considerable bright than the old generation of luminescent pigments.

Non treated NLP Yellow Green Pigments

NLP/YG/30/B/0/2/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/0/2/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/0/2/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/0/2/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/0/2/CA	240-320µm	synthetic carriers

Treated NLP Yellow Green for easy dispersion

NLP/YG/30/B/S/2/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/S/2/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/S/2/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/S/2/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/S/2/CA	240-320µm	synthetic carriers

Treated NLP Pigments to avoid sinking

NLP/YG/30/B/A/2/CA	20-30 µm	synthetic carriers
NLP/YG/45/B/A/2/CA	30-45 µm	synthetic carriers
NLP/YG/65/B/A/2/CA	40-65 µm	synthetic carriers
NLP/YG/80/B/A/2/CA	70-80 µm	synthetic carriers
NLP/YG/300/B/A/2/CA	240-320 µm	synthetic carriers

Treated NLP Pigments for Water based purposes

NLP/YG/30/W/0/2/CA	20-30 µm	water based carriers
NLP/YG/45/W/0/2/CA	30-45 µm	water based carriers
NLP/YG/65/W/0/2/CA	40-65 µm	water based carriers
NLP/YG/80/W/0/2/CA	70-80 µm	water based carriers
NLP/YG/300/W/0/2/CA	240-320 µm	water based carriers

Limitation of Liability – The information in this product sheet is based upon laboratory tests we believe to be accurate and is intended for guidance only. All recommendations or suggestions relating to the use of the products sold by Next Generation B.V., whether in technical documentation, or in response to a specific inquiry, or otherwise, are based on data which to the best of our knowledge are reliable. The products and information are designed for users having the requisite knowledge and industrial skills and it is the end-user's responsibility to determine the suitability of the product for its intended use. Next Generation B.V. has no control over either the quality or condition of the substrate, or the many factors affecting the use and application of the product. Next Generation B.V. does therefore not accept any liability arising from loss, injury or damage resulting from such use or the contents of this product sheet (unless there are written agreements stating otherwise). The data contained herein are liable to modification as a result of practical experience and continuous product development.